

A problem with such prior art systems that use a communications network is that they are typically either browser based or dedicated applications. Typical browser-based applications are often difficult to master by individual customers. A dedicated software application may offer maximum flexibility and

5

10

15

20

25

30

providing a server of a first party for sending e-mail to a receiving site of a customer over the communication network, the e-mail having a static section for containing static text and/or graphics and a dynamic area/section for containing dynamic data, the dynamic data is automatically forwarded to the receiving site only upon opening of the e-mail at the receiving site, the static text

In accordance with yet another aspect of the present invention there is provided a computer software product comprising a computer readable storage medium having a computer program which when loaded into a computer causes the computer to perform the following steps:

sending an e-mail from a server at a first location to a remote receiving site of a customer over a communication network, the e-mail having a static section for containing static text and/or graphics and a dynamic area/section for containing dynamic data, the dynamic data is automatically forwarded to the receiving site only upon opening of the e-mail at the receiving site, the dynamic data comprising at least digital data files containing digital images.

In accordance with another aspect of the present invention there is provided a computer software product comprising a computer readable storage medium having a computer program which when loaded into a computer causes the computer to perform the following steps:

sending an e-mail from a server at a first location to a remote receiving site of a customer over a communication network, the e-mail having a static section for containing static text and/or graphics and a dynamic area/section for containing dynamic data, the dynamic data is automatically forwarded to the receiving site only upon opening of the e-mail at the receiving site, the static text and/or graphics containing an order section for ordering of goods and/or services with respect to the dynamic data.

In still another aspect of the present invention there is provided a system for ordering goods and/or services with respect to digital images over a communication network using e-mail, comprising:

a server for sending e-mail to a computer of a customer at a remote site from the server, the e-mail having a static section for containing static text and/or graphics and a dynamic area/section for containing dynamic data, the dynamic data is automatically forwarded to the receiving site only upon opening of the e-mail at the receiving site, the static text and/or graphics containing an

order section for ordering of goods and/or services with respect to the dynamic data.

5 a fulfillment provider for filling of the order, the e-mail having information for allowing the automatic forwarding of the order to the fulfillment provider.

In yet another aspect of the present invention there is provided a system for ordering goods and/or services with respect to digital images over a communication network using e-mail, comprising:

10 a retailer for receiving an image product having at least one image from a customer for the providing of goods and/or service for the customer;

a server for sending e-mail to a computer of a customer at a remote site from the server, the e-mail having a static section for containing static text and/or graphics and a dynamic area/section for containing dynamic data, the dynamic data comprising at least one digital image file of an image obtained from
15 the image product, the dynamic data is automatically forwarded to the receiving site only upon opening of the e-mail at the receiving site, the static text and/or graphics containing an order section for ordering of the goods and/or services with respect to the dynamic data.

20 a fulfillment provider for filling of the order, the e-mail having information for allowing the automatic forwarding of the order to the fulfillment provider.

25 These and other aspects, objects, features, and advantages of the present invention will be more clearly understood and appreciated from a review of the following detailed description of the preferred embodiments and appended claims, and by reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

30 In the detailed description of the preferred embodiments of the invention presented below, reference is made to the accompanying drawings in which:

Fig. 1 illustrates a system made in accordance with the present invention;

SA1
Fig. 2a-2e illustrates a flow chart of the operation of the system of Fig. 1 in accordance with the present invention;

Fig. 3a-3b illustrates a screen display of an opened e-mail provided in accordance with the present invention.

5

DETAILED DESCRIPTION OF THE INVENTION

Referring to Fig. 1 there is illustrated a system 10 made in accordance with the present invention. In particular, the system 10 includes a first customer at a first location 12 having an appropriate communication device for communicating over a communication network such as the Internet 14. In the particular embodiment illustrated, the customer at location 12 has a computer 16 which includes a monitor 18 and appropriate software and hardware for allowing the computer 16 to communicate to the Internet 14. For example, over a high speed cable link or telephone line. It is to be understood that the computer 16 may be in communication with the Internet 14 by any appropriate communication means available. The customer at location 12 may also have appropriate means for capturing of digital images. For example, a digital camera 20 and/or scanner 22 which are capable of transferring the digital images so captured to computer 16 and used in any appropriate manner by the computer 16. The system 10 further includes a first retailer 24 at which a customer may submit an order for obtaining imaging products. In the particular embodiment illustrated, the customer may submit an exposed roll of photographic film to the retailer 24 for having the film developed and for the ordering of prints therefrom. The actual development and printing may occur at retailer 24 through the use of a film processor and photographic mini-lab where the film is exposed onto photographic paper and the paper developed as is well known in the art. Optionally, the exposed film may be sent to a wholesale service provider 26 wherein the film is developed and processed and later printed onto photographic paper as is also well known in the art. Both the retailer 24 and wholesale service provider 26 have appropriate computers (not shown) which allow access to the Internet 14 whereby digital image data files may be forwarded or received from third parties.

In addition to submitting exposed film, a customer may submit digital images to the retailer 24 or wholesale service provider 26 for further processing. For example, the providing of prints and/or print enlargements or any other product or service provided with respect to the images. Here again, if the customer submits the order to the retailer 24, the order can be forwarded by the retailer 24 on to the wholesale service provider 26 for completion of the order. The retailer 24 may also provide a pick-up point where the customer may pick up the goods and/or services that are either fulfilled at the retailer 24 or by the wholesale service provider 26. As illustrated by Fig. 1, the prints or other goods and/or services may be shipped directly to the customer at location 12 by the wholesale service provider 26 and/or sent to the retailer 24 for pick up by the customer.

As illustrated by Fig. 1, the customer at location 12 may communicate to the retailer 24 and/or wholesale service provider 26 as appropriate over the Internet 14. In a typical order where photographic film is being processed, the time for the processing, including the providing of the requested goods and/or services, may range from a relatively short period of time, for example, an hour, to a day or more. Quite often the customer may not be available to pick-up or review the images immediately or within the allocated time frame. Thus, providing a communication network allows the customer to review images, prior to final selection of the order, at his and/or her leisure. For example, once the film has been developed, the images can be scanned, preferably at a high-resolution, which is typically 4Base resolution (1024 x 1536) up to 16Base resolution (2048 x 3072). A problem experienced by some of the prior art is that image files are usually quite large, and therefore would require excessive amounts of memory and time for receipt and transmission if sent at full resolution to the customer. In the present invention illustrated, this problem is addressed by sending low-resolution copies of the scanned images can to the customer over the communication network for review by the customer and for placement of an order for goods and/or services. For example, a customer may order a single standard print of each or some of the images that have been developed from the photographic film. The customer may elect to print only those images that are

valued by the customer, thus minimizing the printing of images that are not desired. In addition, the customer may provide instructions for modifying the images received so that newly composed images may be provided in accordance with the customer's desired wishes. For example, but not limited to, the images
5 may be cropped, color corrected, or combined with other images as desired by the customer.

The system 10 includes a server 28, typically a computer, having appropriate memory and software, that is in communication with the Internet 14. Low-resolution versions of the images are first forwarded over the Internet 14 to
10 server 28 by the retailer 24. It is to be understood that any number of customers may be linked to the Internet 14 and accordingly to numerous retailers and wholesale fulfillment service providers that are similar or identical to the retailer 24 and wholesale service provider 26 previously described. For example, in the particular embodiment illustrated, a plurality of other customers may be located at
15 different locations 30 which have similar type setups as the customer at location 12. Likewise, a plurality of other retailers 32 may operate at different locations in the same manner as retailer 24. While not illustrated, any desired number of wholesale service providers 26 may likewise be provided.

A software program resides in server 28 which causes the server 28
20 to perform specific actions. In the particular embodiment illustrated, the computer software program produces an e-mail for forwarding to the customer so that the customer can preview the images that have been developed prior to actual fulfillment of an order by the customer. The e-mail is produced in such a manner so as to comprise a static section and dynamic data areas/sections. Referring to
25 Fig. 3a-3b there is illustrated a screen display 40 illustrating static section 42 and dynamic data areas/sections 44a-44d. The static section 42 comprises text and/or graphic information which provides a general background screen that is common to different customers. In Fig. 3a-3b, its text is distinguished from the dynamic data areas/sections by the use of a bold, non-italic font. The dynamic data
30 areas/sections 44a-44d provide locations where customer images, order information, customer information, and order status will be displayed. In Fig. 3a-3b, its text is distinguished from the static section by the use of a non-bold, italic,

underlined font. When the e-mail is sent to the customer by the server 28, data is not contained directly in the dynamic data areas/sections. Instead hotlinks (pointers not shown) are provided indicating where the images and other information are located in the server 28. When the customer is on-line to the Internet 14 and the e-mail is opened, the hotlinks are followed automatically by the customer computer to access the server 28. The server 28 recognizes an appropriate ID also included in the sent e-mail as authorization to automatically transmit the appropriate images and other information to display in the dynamic areas/sections 44a-44d. The image data hotlinks point only to low-resolution images that are used for display purposes only. Corresponding high-resolution images are stored at the retailer 24 and associated with the customer order. It is typically the high-resolution images that are ultimately used for the fulfillment of the customer order. However, if remote fulfillment is desired, the high-resolution images are also forwarded over the Internet 14 to the server 28. These high-resolution images will be forwarded only to the appropriate retailer 32 or wholesale service provider 26 when needed to print the order. Thus, when the customer simply opens an e-mail which includes images, the actual e-mail contains relatively small amounts of data because relatively small amounts of information have been transmitted to the customer at location 12. The hotlinks are automatically followed behind the scenes providing direct access to the display images stored at the server 28. In an alternate form of the present invention, low-resolution digital images will be sent with the e-mail for placement in the dynamic data areas/sections 44a-44d to allow the customer to prepare an order without having to be connected to the Internet 14 continuously. An example of software that may be used in the system to display images according to the present invention is currently offered by FireDrop, Inc.

In the embodiment illustrated by Figs. 3a-3b, the single static section 42 contains 4 different areas to receive different types of dynamic data. At the top of the static section 42 in Fig. 3a, an image area is provided in the dynamic area/section 44a with up to 24 slots or holes, each slot designed to receive a single low-resolution digital image from the server 28. When the customer wishes to view a particular image in greater detail, the customer would select the desired

image, for example by placing the cursor over the image and clicking on the image. This results in getting more information with respect to the image, including but not limited to, a larger view of the image. A major benefit of the present invention is that the high-resolution images are not transmitted with the original e-mail which allows the customer to open the e-mail and to view the image quickly. The present invention also allows customers to share images and comments. Additional information, for example, but not limited to, comments with respect to the image, may be added so that when viewed again by the customer or by other parties, this information can be viewed and shared. It also allows the images to be updated by other individuals who may make improvements or additions so that when the customer revisits the site where this image is located, any modifications, changes, and/or additional images may be viewed and shared.

Below the dynamic image data area/section 44a in the static section 42 in Fig. 3a is a second dynamic area 44b which is designed to receive the details of the order being created by the customer, including quantity and sizes of prints desired. Initially, this dynamic order area/section 44b is empty. As the customer selects prints to order, each selection is represented by one or more lines of order data in the dynamic order area/section 44b. A running total of the charges for the order is also included at the bottom of the dynamic order area/section 44b. This dynamic data is also transmitted to the server 28 so that it may be available for subsequent order fulfillment.

Below the dynamic image data area/section 44b in the static section 42 is a third dynamic area/section 44c which is illustrated in Fig. 3b. It is designed to display the status history of the order, including its present state. In this embodiment, as the order passes through the fulfillment process, additional status lines are created and stored on the server 28. They are also displayed in this dynamic data area. When the e-mail is subsequently viewed again by the customer, the current status history of the order will be displayed for review and possible action.

Below the dynamic image data area/section 44c in the static section 42 is a fourth dynamic area/section 44d. It is designed to display the customer's

5

10

25

30

order server 28 is programmed to generate an e-mail at step 56, having a static section 42 and dynamic areas/sections 44a-44d as previously discussed. At step 58, the server sends the generated e-mail to the appropriate customer. For example, if a customer has provided the film for development at the retailer, the server 28 would send an e-mail to the electronic address provided by the customer. As set forth by step 60, as the e-mail is opened, it will automatically access the server 28 and pull up the appropriate dynamic areas/sections 44a-44d using the hot links contained in the e-mail. The customer then previews the images displayed. At step 70, the appropriate image manipulation and ordering takes place. The customer makes appropriate selections and/or adjustments to the images provided by the e-mail to create the order. For example, but not limited to, ordering of prints, other products such as T-shirts, mugs with images, and including any image corrections or manipulations that may be desired. It is of course understood that any appropriate product selection may be offered to the customer. For example, but not limited to, album pages, enlargements etc.

At step 72, the information for any order that has been selected by the customer in step 70, is forwarded to the location specified in the e-mail where the order is to be fulfilled. In the embodiment illustrated, the original e-mail will contain a URL (universal resource locator) that will be used to automatically transmit the order to the location where it is to be fulfilled. For example, the order may be sent to retailer 24 or wholesale service provider 26. Alternatively the order may be sent to the server 28 where the server will then forward it to the appropriate fulfillment location. At steps 74a, 74b, and 74c the order can be sent to one of several locations. In step 74a the order can be sent to a wholesale service provider 26, at step 74b the order can be sent to the original retailer 24, or at step 74c the order can be sent to another retailer 32 located at a convenient location for the customer to receive the order. With respect to step 74c, this step may be relevant when sending orders back home or to relatives located at a different place so that the images can be picked up by the customer or a third party conveniently at a retailer 32 close to the person that will receive the image order. As indicated by steps 80a, 80b, and 80c, the appropriate order is received by the wholesale service provider 26 or appropriate retailer 24 or 32. At steps 82b and

5 illustrated, retailer number one already has the high-resolution images, therefore, there is no need for obtaining the high-resolution images. In steps 84b and 84c, the actual high-resolution images are transmitted from the location from which they are stored to the appropriate location where they are to be fulfilled. In steps 86a, 86b, and 86c the order details and the referenced high-resolution images are
10 correctly associated and are prepared for creation of the appropriate goods and/or service. For example, the imaging devices are programmed to provide the appropriate number of prints and/or goods requested. At steps 88a, 88b, and 88c, the orders are appropriately filled in accordance with the customer's instructions. At steps 90a, 90b, and 90c, respectfully the appropriate locations at which the
15 orders can be produced, the order is completed and a transmission is provided to the customer that the order has been completed. The next steps 92a, 92b, and 92c respectively, for each of the subject paths, the server creates and transmits a notice that the order has been completed.

25 Going back to step 72, the customer can alternately forward the
previewed images and information including where the images are being stored to
a third party at step 96. Forwarding can be done by any appropriate
communication network, for example, the Internet 14.

As previously noted, the server may be located independently of the retailers or can be located at any of the retailers or wholesale service providers which form a part of the system 10 herein. Thus, a customer does not necessarily need to have all the images at a particular retailer or wholesale service provider.

An important aspect of the present invention is that when the customer receives notice that the processed images are ready, it is in the form of an e-mail. The e-mail having a general background screen and having blank spaces in which images and other information are to be displayed. This data is not forwarded to the customer until the e-mail is actually opened, at which time, the e-mail will follow hot links that point to the location where the images and other information are stored. The images and the current customer and order information are then downloaded immediately for display to the recipient. As an added feature to the present invention, since the images are located at a server and may be accessed by a variety of different parties, various people may be allowed to add or make modifications and to add comments to the image file. Thus, when a recipient receives an e-mail, there is the ability to modify the images and/or add more images to the collection. Thus, images can be shared very effectively and easily. Further, since the images are not accessed until the e-mail is opened, messages can be sent very quickly and easily. When high-resolution images are needed for remote fulfillment, they must be transmitted to the location where in which they will be fulfillment will take place. To make this process as easy and inexpensive as possible, the images can be transmitted at times that are convenient for the sender and recipient.

25

- | | |
|------|---------------------------|
| 10. | System |
| 12. | Location |
| 14. | The Internet |
| 16. | Computer |
| 18. | Monitor |
| 20. | Digital camera |
| 22. | Scanner |
| 24. | Retailer |
| 26. | Provider |
| 28. | Server |
| 30. | Locations |
| 32. | Retailers |
| 40. | Display |
| 42. | Section |
| 44a. | Dynamic data area/section |
| 44b. | Dynamic data area/section |
| 44c. | Dynamic data area/section |
| 44d. | Dynamic data area/section |
| 50. | Box |
| 52. | Step |
| 54. | Step |
| 56. | Step |
| 58. | Step |
| 60. | Step |
| 70. | Step |
| 72. | Step |
| 74a. | Step |
| 74b. | Step |
| 74c. | Step |
| 80a. | Step |
| 80b. | Step |

- | | |
|------|------|
| 80c. | Step |
| 82b. | Step |
| 82c. | Step |
| 84b. | Step |
| 84c. | Step |
| 86a. | Step |
| 86b. | Step |
| 86c. | Step |
| 88a. | Step |
| 88b. | Step |
| 88c. | Step |
| 90a. | Step |
| 90b. | Step |
| 90c. | Step |
| 92a. | Step |
| 92b. | Step |
| 92c. | Step |
| 94a. | Step |
| 94b. | Step |
| 94c. | Step |
| 96. | Step |
| 98. | Step |